

# ATF COMPATIBILITY CHART



**PREVENTATIVE  
MAINTENANCE SOLUTIONS**



## PREMIUM SYNTHETIC ATF - LV FLUID

A special blend of full-synthetic base oils combined with a multi-purpose additive package system that provides superior anti-wear protection and performance in virtually all types of passenger and commercial automatic transmissions that require newer **"low-viscosity"** fluid.

Part # 0413X (AVAILABLE SIZES - 1 GAL OR 55 GAL)

OEM	TRANS / PN
ACURA	DW-1, TYPE 3.0 PN 08200-9016A, TYPE 3.1 08200-9017A
AISIN WARNER	AW-1
AUDI	G 052540, G 055005, G 055162, G 060162
BMW	83-22-0142-516, 83-22-2152-426, 83-22-2305-396, 83-22-2355-599, 83-22-2289-720, 83-22-0397-114, 83-22-2163-514, 83-22-2220-445, 83-22-0024-359, 83-22-0403-249
CHRYSLER / MOPAR	68157995AA, 68157995AB, 68218925AA, 68171866AA, 68171866AB, 68171869AA, 68171869AB
FORD	MERCON® LV
GENERAL MOTORS	DEXRON®-VI, 88863400, 88863401
HONDA	DW-1, TYPE 3.0 PN 08200-9016A, TYPE 3.1 08200-9017A
HYUNDAI / KIA	SP-IV, SPH-IV, SP-IV-RR, NWS-9638, 040000C90SG, SP4-M
INFINITI / NISSAN	MATIC-S , ZF8, ZF9
ISUZU	SCS 2-90531-200-0
JAGUAR	JDE 26444, C2C8432
JASO	1-A-LV
JWS	3324
LAND ROVER	JDE 26444, LR 023288, LR 023289, TYK500050
LEXUS	WS
MAZDA	ATF-FZ (0000-FZ-113E-01)
MERCEDES-BENZ	236.12, 236.14, 236.15, 236.16, 236.17, 236.41
MINI	ATF-J3, ATF-PA, SP-IV
MITSUBISHI	ATF-J3, ATF-PA, SP-IV
PORSCHE	000-043306-24, 958-300540-00
SHELL	M-112108, 3353, M-1375.4, M-1375.6
TOYOTA	WS (JWS 3324)
VOLVO	31256774, 31256775
VW	G-052-540, G-055-005, G-055-162, G-060-162
ZF FRIEDRICHSHAFEN AG	LifeGuard Fluid 6 (S671090255), LifeGuard Fluid 6 Plus (S671090281), LifeGuard Fluid 8 (AA00601304, S671090312)

MOC® does not recommend Premium Synthetic ATF - LV for use in the following applications: Continuously Variable Transmissions (CVT), Dual Clutch Transmissions (DCT), Direct-Shift Gearbox (DSG), FORD - (Type F, MERCON® ULV & XT-12-QULV), & GM (DEXRON®-HP). **Important:** It is the service technician's sole responsibility to determine whether Premium Synthetic ATF- LV is suitable for use in a particular vehicle or transmission and MOC® makes no representation with respect thereto.

# ATF COMPATIBILITY CHART



## PREMIUM SYNTHETIC ATF - LV FLUID

Moc Premium Synthetic ATF - LV Fluid is also suitable for use in the following transmission types.

OEM	TRANS / PN
ACURA	ATF-Z1, TYPE 2.0 PN 082009015A, PN 08200-9017A
AISIN WARNER	JWS 3309 (TIV) & JWS 3324 (WS), AS69RC, 05189966AB/AD, 05189977AA
ALFA ROMEO	ALL
ALLISON	C-3, C-4, John Deere HD SynTran™, Mobil Delvac Synthetic ATF™, TES 668
AMERICAN MOTORS	ALL
ASTON MARTIN	ALL
AUDI	G052025A2, G052162 A1/A2, LT71141, G055025A2, G052990A2, G055540A2
BENTLEY	ALL INCLUDING PY112995PA
BMW	LA2634, LT71141, 81229400275, 83220142156, 83220403248, 83229407765, 83229407807, 83220026922, BMW807, BMW 7045E, ZF 5HP18FL, 5HP24, 5HP30, TEXACO ETL-7045E, TEXACO ETL-8072B, 705/ATFD-3, 83220402413, 83227542290
CATERPILLAR	T0-2
CHRYSLER / MOPAR	ATF 7176, +2, +3 (MS-7176E), +4 (MS-9602), AS68RC, AS69RC, 05127382AB, 05189966AB & AD, 05189966AA, 05189977AA, 05127382AA/AB, JWS3309, 68043742AA, 68089195AA
CITROEN	973622, Z000169756
DAEWOO	ALL INCLUDING, LT71141
DIWA / DAIHATSU	AMMIX ATF D-II, AMMIX ATF D-III SP
ESSO	ATF LT 71141
FIAT-LANCIA	ALL
FORD	MERCON® (XT-2-QDR OR XT-2-QSM), MERCON®SP (XT-6-QSP), MERCON®V (XT-5-QM), PREMIUM AUTOMATIC TRANSMISSION FLUID (XT-8-QAW), FNR5 AUTOMATIC TRANSMISSION FLUID (XT-9-QMM5), X-2-QDX, M2C138CJ, M2C166H WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309
FUCHS / FUSO	Titan ATF 3292, Titan ATF 3353 / ATF- II, ATF-SP III, AFT-A4
GENERAL MOTORS	DEXRON®, DEXRON®-II, -IID, -IIE, -III, -IIIG/H, GM TIV (PN 88900925), AW1, 9986195 (Aisin AW, JWS 3309)
HONDA	ATF-Z1 (EXCEPT CVT), 08200-9017, 08200-9015
HYUNDAI	SP-II/DEX-II, SP-III, 00232-19012, 00232-19015, 00232-19016, 00232-19023 / 24, JWS-3309 T-4, JWS 3314 00232-19057, 00232-19059, NWS 9683
IDEMITSU	K17, JATCO 3100 PL085, W0133-19031-54
INFINITI	ALL INCLUDING MATIC D, J, K
ISUZU	BESCO ATF-II, ATF-III, ATF SP, SCS Fluid
JAGUAR	ATF 3403 M115, ATF 3403, C2C8432, ZF 5HP24, 1X43 2C9010AA, JLM 20237, JLM 20238, LT71141, JATCO 3100 PL085, JDE 26444

MOC® does not recommend Premium Synthetic ATF for use in the following applications: Continuously Variable Transmissions (CVT), Dual Clutch Transmissions (DCT), Direct-Shift Gearbox (DSG), FORD - (Type F, MERCON® ULV & XT-12-QULV), & GM (DEXRON®-HP). In addition, the vehicle manufactures listed above have neither evaluated nor endorsed Multi-Vehicle Synthetic ATF. Always follow equipment manufacturers' recommendations for use in automatic transmissions.

# ATF COMPATIBILITY CHART CONTINUED



OEM	TRANS / PN
JASO	M315-2013 1A , 2A
JEEP	ATF 7176, +2, +3 (MS-7176E), +4 (MS-9602), AS68RC, AS69RC, 05127382AB, 05189966AB, 05189966AA, 05189977AA, 05127382AA, 68157995AA, 68157995AB, 68218925AA, 68171866, 68171869AB
JWS	3309, 3314, 3317
KIA	SP-II, SP-III, RED 1, ATF TYPE 4(M)
LAND ROVER	ESSO LT71141, TEXACO N402, LRN 13754, TEXACO ETL-7045E, STC4863, STC 505.31, LR 002748
LEXUS	ATF D-II, ATF D-III, TYPE T, T-II, T-III, TYPE T-IV
MAN	339F, 339V1, 339V2, 339Z1, 339Z2, 339Z3
MAZDA	ATF D-II, ATF-M III, ATF-MV, ATF-FZ, ATF F-1, ATF S-1, ATF N-1, ATF 3317, 0000-77-112E-01, 0000-77-120E-05, 0000-77-114E-01, 0000-FZ-113E-01
MERCEDES BENZ	236.1, 236.2, 236.3, 236.5, 236.6, 236.7, 236.8, 236.9, 236.10, 236.11, 236.81, SHELL 3403-4 115, ATF 4134, AA0019892103 /2203/2303/4503/6803
MASERATI	231603
MATRA	ALL
MITSUBISHI	DIAQUEEN SK, SP, SP-II, SP-III, AW, J2,
NISSAN	MATIC C, D, J, K, 402
OPEL	ALL
PEUGEOT	ZF 4HP20, 973622, Z000169756
PORSCHE	ZF 5HP19FL, ZF 5HP20, LT71141 ATF 3403-M115, FIV (JWS 3309), 99991754700A2, 00004320509, 00004320441, SHELL 3403 M115, 99991754700, 000 043 205 28
RENAULT 7	Samsung SATF-D, 711218368
ROLLS ROYCE	PL31493 PA
SAAB	T-IV, 93160372, 93160393, 93165147
SATURN	AW1, 88863400, 88863401, 22689186, ALL
SHELL	LA2634, ATF 3353, ATF 3403, M115, M-1375.5
SUBARU	DEXRON®-II , ATF 5AT , SOA868V9241, KO140Y0700, ATF-HP, HP/PS (SOA427V1500 HP), ALL
SUZUKI	99980-06000, ATF 3317 SP-4B, 990B0B-01001, ATF 3314, AT OIL 5D06, ATF 2326, ATF 2384K, JWS 3309
TEXACO	ETL-7045E, ETL-8072B, N402
TOYOTA	ATF D-II, ATF D-III, TYPE T, T-II, T-III, TYPE T-IV, WS**
VOITH	55.6335.XX (G607), 55.6336.XX (G1363)
VOLVO	97340, 97341, 97342, 3344208, 31256776, 1161521, 1161540, 1161640, 1161621, CE 97340
VOLKSWAGEN	G055025A2, G052162A2, G052990A2, G052025A2, G052162A1, LT71141, G055540A2, 5 HP (ZF 5 HP 30) (18FL, 30) (19FL, 24A)
ZF FRIEDRICHSHAFEN	AG TE-ML: 02F, 03D, 04D, 05L, 09, 11A, 11B, 14A, 14B, 14C, 16L, 17C, 20B; SHELLLA 2634, LT 71141, LifeGuard Fluid 9

MOC® does not recommend Premium Synthetic ATF for use in the following applications: Continuously Variable Transmissions (CVT), Dual Clutch Transmissions (DCT), Direct-Shift Gearbox (DSG), FORD - (Type F, MERCON® ULV & XT-12-QULV), & GM (DEXRON®-HP). In addition, the vehicle manufacturers listed above have neither evaluated nor endorsed Multi-Vehicle Synthetic ATF. Always follow equipment manufacturers' recommendations for use in automatic transmissions. \*\*Compatible with 2020 and older vehicles